




# Standard Gain Horn Antennas


172 - 261 GHz, 15 dBi



Radiation pattern



QR code



Hangzhou Multipath Electronics Co., Ltd., Zhejiang, China

## Company Profile


Hangzhou Multipath Electronics Co., Ltd. is a high-tech enterprise specializing in the research, production and sales of various high-performance standard gain horns, waveguide probes, transparent antennas, MIMO antennas for communication, and phased array radar antennas. The products cover various types of waveguide arrays, patch arrays, dipole arrays, and ultra-wideband angle scanning arrays, and the frequency range covers low frequency to millimeter waves. The founding team of the company has been deeply involved in the field of electromagnetic array structures for many years and has rich experience in array antenna design. The team first applied the principle of bionics to electromagnetic wave control, and the original wideband angle scanning, low loss, and high precision technology is at the leading level internationally, and related technologies have been applied in many large projects. The founding members currently have more than ten core invention patents in this field, and have published many SCI journal papers.

Hangzhou Multipath Electronics will be dedicated to the research of cutting-edge electromagnetic field technology, to be a leader in antenna arrays, to tap the potential of electromagnetic fields, and to contribute to the development of science and technology.

⚙️ Product specifications





<b>Part number</b>	HA-WR4-15	<b>Polarization</b>	Single linear
<b>Antenna type</b>	Pyramidal horn	<b>Gain [dBi]</b>	15 Typ.
<b>Frequency range [GHz]</b>	172 – 261	<b>3dB beamwidth [deg]</b>	E-plane: 25 Typ. H-plane: 25 Typ.
<b>Waveguide band</b>	WR4	<b>Cross-polarization isolation [dB]</b>	60 Typ.
<b>Dimensions (H x W x L) [mm; inch]</b>	19.05 x 19.05 x 16.53; 0.75 x 0.75 x 0.65	<b>VSWR</b>	1.15 Typ.
<b>Weight (approx.) [kg; lb]</b>	0.01; 0.022	<b>RF connector</b>	UG-387/U-M
<b>Material</b>	Cu (Gold plated)		

• Dimensional drawing: horn, HA-WR4-15




## Electrical characteristics

### Gain & Antenna factor & Cross-polarization isolation & VSWR




## • Radiation patterns


Patterns @ 172 GHz



Patterns @ 216 GHz



Patterns @ 261 GHz



• Data table

Frequency [GHz]	Gain [dBi]	Antenna factor [dB/m]	Cross-polarization isolation [dB]	VSWR
172	15.64	59.26	-62.45	1.11
176	15.79	59.31	-67.23	1.10
180	16.02	59.28	-65.62	1.08
184	16.26	59.23	-73.61	1.10
188	16.37	59.30	-67.30	1.08
192	16.62	59.24	-66.16	1.10
196	16.82	59.21	-75.99	1.08
200	16.98	59.23	-77.13	1.07
204	17.17	59.21	-72.18	1.09
208	17.34	59.22	-68.37	1.05
212	17.50	59.22	-66.91	1.07
216	17.66	59.21	-68.25	1.08
220	17.90	59.14	-70.18	1.04
224	17.99	59.20	-66.59	1.08
228	18.19	59.16	-63.84	1.10
232	18.42	59.08	-60.75	1.08
236	18.46	59.18	-61.77	1.12
240	18.74	59.06	-54.82	1.16
244	18.70	59.24	-51.84	1.11
248	18.91	59.17	-64.25	1.11
252	19.15	59.07	-50.11	1.11
256	19.20	59.15	-50.97	1.09
260	19.39	59.10	-62.55	1.15

Frequency [GHz]	E-plane, 3dB beamwidth	H-plane, 3dB beamwidth
172	29.24°	31.57°
216	23.36°	26.23°
261	19.41°	21.40°



Multipath Electronics

### Contact

+86-571-56201039

sales@multipath.cn

<https://www.multipath-electron.com>

Technical specifications in this datasheet are subject to change without notice. Actual products may differ from the shown images.